

# Material Safety Data Sheet

Material Name : Glass Code 7740

ID: C-021

## \*\*\* Section 1 - Chemical Product and Company Identification \*\*\*

**Chemical Name:** NA

**Product Use:** Use in manufacture of glass articles

**Synonyms:** GC-7740

### Manufacturer Information

Corning Incorporated

HP-ME-02-48

Corning, NY 14831

Phone: (607) 974-7661

Emergency # CHEMTREC: (800) 424-9300

## \*\*\* Section 2 - Composition / Information on Ingredients \*\*\*

CAS #	Component	Percent
65997-17-3	Glass, oxide, chemicals	100

### Component Related Regulatory Information

This product may be regulated, have exposure limits or other information identified as the following: Nuisance particulates.

### Component Information/Information on Non-Hazardous Components

Glass is a solid material produced by combining various raw materials (e.g. oxides, carbonates, etc.), melting these components together, and cooling to a non-crystalline solid having its own unique properties.

Processing of this article may produce dusts or fumes which are considered hazardous under 29 CFR 1910.1200 (Hazard Communication).

## \*\*\* Section 3 - Hazards Identification \*\*\*

### Emergency Overview

This is a non-combustible, non-reactive solid material. It is supplied in the form of glass sheets or powder. Use methods suitable to fight surrounding fire. Exposure to glass powder or dusts may be irritating to eyes, nose, and throat. At very high exposure levels the dust may have an effect on the lungs.

### Hazard Statements

Dust or powder may be irritating to the eyes, skin, respiratory system and gastrointestinal tract.

### Potential Health Effects: Eyes

Dust or powder may irritate eye tissue. Symptoms can include irritation, redness, scratching of the cornea, and tearing.

Rubbing may cause abrasion of cornea.

### Potential Health Effects: Skin

No components in this product are known to be absorbed through the skin. Dust or powder may irritate the skin. Mechanical rubbing may increase skin irritation.

### Potential Health Effects: Ingestion

May cause temporary irritation of the throat, stomach, and gastrointestinal tract.

### Potential Health Effects: Inhalation

Dusts of this product may cause irritation of the nose, throat, and respiratory tract. When inhaled in very large amounts, damage to the lung can occur.

**HMIS Ratings: Health: 0 Fire: 0 Reactivity: 0 Pers. Prot.:** gloves/glasses

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

## \*\*\* Section 4 - First Aid Measures \*\*\*

### First Aid: Eyes

Eye injuries from glass particles should be treated by a physician immediately.

### First Aid: Skin

Cuts or abrasions should be treated promptly with thorough cleansing of the affected area.

### First Aid: Ingestion

Seek medical attention if material is ingested.

### First Aid: Inhalation

Move person to non-contaminated air. Call a physician if symptoms persist.

# Material Safety Data Sheet

Material Name : Glass Code 7740

ID: C-021

## First Aid: Notes to Physician

None.

## \*\*\* Section 5 - Fire Fighting Measures \*\*\*

**Flash Point:** Not applicable

**Upper Flammable Limit (UFL):** Not applicable

**Auto Ignition:** Not applicable

**Rate of Burning:** Not applicable

**Method Used:** Not applicable

**Lower Flammable Limit (LFL):** Not applicable

**Flammability Classification:** Will not burn

## General Fire Hazards

This material will not burn.

## Hazardous Combustion Products

Material will begin softening at about 700° C, will proceed to a liquid and will form irritating and toxic gaseous metallic oxides at extremely high temperatures.

## Extinguishing Media

Use methods for the surrounding fire.

## Fire Fighting Equipment/Instructions

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

**NFPA Ratings: Health: 0 Fire: 0 Reactivity: 0**

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

## \*\*\* Section 6 - Accidental Release Measures \*\*\*

## Containment Procedures

Avoid creating dusts.

## Clean-Up Procedures

Wear appropriate protective equipment and clothing during clean-up. Collect spill using a vacuum cleaner with a HEPA filter. Place in a closed container.

## Evacuation Procedures

None necessary.

## Special Procedures

Regulations vary. Consult local authorities before disposal. Glass products may be recycled.

## \*\*\* Section 7 - Handling and Storage \*\*\*

## Handling Procedures

Do not inhale dusts. Avoid generation of airborne dusts. Avoid contact with skin and eyes. Wash thoroughly after handling.

## Storage Procedures

Store in a dry area.

## \*\*\* Section 8 - Exposure Controls / Personal Protection \*\*\*

## Exposure Guidelines

### A: General Product Information

The OSHA air contaminants exposure limits (PELs) are those provided in the 1989 update to 29 CFR 1910.1000. These limits were vacated by OSHA and may not be enforceable. Observe an exposure limit of 15 mg/m<sup>3</sup> (total dust) and 5 mg/m<sup>3</sup> (respirable fraction) for particulate not otherwise classified (PNOCs).

# Material Safety Data Sheet

Material Name : Glass Code 7740

ID: C-021

## B: Component Exposure Limits

### Glass, oxide, chemicals (65997-17-3)

- ACGIH: 10 mg/m<sup>3</sup> TWA (inhalable fraction, particulate matter containing no asbestos and <1% crystalline silica); 3 mg/m<sup>3</sup> TWA (respirable fraction, particulate matter containing no asbestos and <1% crystalline silica) (related to Particulates not otherwise specified (PNOS))
- OSHA (Final): 15 mg/m<sup>3</sup> TWA (total dust); 5 mg/m<sup>3</sup> TWA (respirable fraction) (related to Particulates not otherwise regulated)
- OSHA (Vacated): 15 mg/m<sup>3</sup> TWA (total dust); 5 mg/m<sup>3</sup> TWA (respirable fraction) (related to Particulates not otherwise regulated)

## Engineering Controls

If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

## PERSONAL PROTECTIVE EQUIPMENT

### Personal Protective Equipment: Eyes/Face

Wear safety glasses with side shields.

### Personal Protective Equipment: Skin

Wear leather or other appropriate work gloves, if necessary for type of operation. The use of coveralls is recommended.

### Personal Protective Equipment: Respiratory

Not normally needed. If permissible levels are exceeded, use NIOSH approved dust respirator.

### Personal Protective Equipment: General

Use good hygiene practices when handling this material including changing and laundering work clothing after use.

## \*\*\* Section 9 - Physical & Chemical Properties \*\*\*

<b>Appearance:</b>	Clear	<b>Odor:</b>	Odorless
<b>Physical State:</b>	Solid (glass or particulate)	<b>pH:</b>	Not applicable
<b>Vapor Pressure:</b>	Not applicable	<b>Vapor Density:</b>	Not applicable
<b>Boiling Point:</b>	Not applicable	<b>Melting Point:</b>	Not applicable
<b>Solubility (H<sub>2</sub>O):</b>	Not applicable	<b>Specific Gravity:</b>	2.23 gm/cm <sup>3</sup>
<b>Freezing Point:</b>	Not applicable	<b>Particle Size:</b>	Not applicable
<b>Softening Point:</b>	821 deg C	<b>Evaporation Rate:</b>	Not applicable
<b>Viscosity:</b>	Not applicable	<b>Bulk Density:</b>	Not applicable
<b>Percent Volatile:</b>	Not applicable	<b>Molecular Weight:</b>	Not applicable

## Physical Properties: Additional Information

No information available.

## \*\*\* Section 10 - Chemical Stability & Reactivity Information \*\*\*

### Chemical Stability

Stable.

### Chemical Stability: Conditions to Avoid

None known.

### Incompatibility

None known.

### Hazardous Decomposition

At very high temperatures, irritating and toxic gaseous metallic oxides can be formed.

### Hazardous Polymerization

Will not occur.

## \*\*\* Section 11 - Toxicological Information \*\*\*

### Acute Toxicity

#### A: General Product Information

Dusts may cause mechanical irritation to eyes and skin. Ingestion may cause transient irritation of throat, stomach, and gastrointestinal tract. Inhalation may cause coughing, nose and throat irritation, and sneezing. Higher exposures may cause difficulty breathing, congestion, and chest tightness.

# Material Safety Data Sheet

Material Name : Glass Code 7740

ID: C-021

## B: Component Analysis - LD50/LC50

No LD50/LC50's are available for this product's components.

## Carcinogenicity

### A: General Product Information

No information available.

### B: Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, OSHA, NIOSH, or NTP.

## Epidemiology

No information available.

## Neurotoxicity

No information available.

## Mutagenicity

No information available.

## Teratogenicity

No information available.

## Other Toxicological Information

Under normal conditions of use for glass products, the likelihood of inhaling or ingesting amounts necessary for these effects to occur is very small.

## \*\*\* Section 12 - Ecological Information \*\*\*

### Ecotoxicity

#### A: General Product Information

No information available.

#### B: Component Analysis - Ecotoxicity - Aquatic Toxicity

No ecotoxicity data are available for this product's components.

### Environmental Fate

No information available.

## \*\*\* Section 13 - Disposal Considerations \*\*\*

### US EPA Waste Number & Descriptions

#### A: General Product Information

No information available.

#### B: Component Waste Numbers

No EPA Waste Numbers are applicable for this product's components.

### Disposal Instructions

You must test your waste using methods described in 40 CFR Part 261 to determine if it meets these or other applicable definitions of hazardous wastes. Waste must be handled in accordance with all applicable regulations. Glass products may be recycled.

## \*\*\* Section 14 - Transportation Information \*\*\*

### US DOT Information

**Shipping Name:** Not regulated as a hazardous material

**UN/NA #:** Not classified **Hazard Class:** Not classified **Packing Group:** Not classified

**Required Label(s):** None

**Additional Info.:** None

### International Transportation Regulations

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

## \*\*\* Section 15 - Regulatory Information \*\*\*

### US Federal Regulations

#### A: General Product Information

This product contains metal(s), which as dusts, fumes or particulates, is subject to the reporting requirements of Section 313 of SARA and its associated regulations. If the physical form and usage meets the definition of an article, no reporting is necessary. All components are on the U.S. EPA TSCA Inventory List.

# Material Safety Data Sheet

Material Name : Glass Code 7740

ID: C-021

## B: Component Analysis

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

## State Regulations

### A: General Product Information

Other state regulations may apply. Check individual state requirements.

### B: Component Analysis - State

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	FL	MA	MN	NJ	PA
Glass, oxide, chemicals	65997-17-3	No	No	No	Yes	No	No

## Other Regulations

### A: General Product Information

None identified.

### B: Component Analysis - Inventory

Component	CAS #	TSCA	DSL	EINECS
Glass, oxide, chemicals	65997-17-3	Yes	Yes	Yes

## C: Component Analysis - WHMIS IDL

No components are listed in the WHMIS IDL.

## \*\*\* Section 16 - Other Information \*\*\*

### Other Information

Reasonable care has been taken in the preparation of this information, but Corning makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. Corning makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

Revision information: Version 2.0000, 06-NOV-2002:

Sections 1,2,3,4,5, 6,7,8,9,10,11,12,15,16

were revised due to formulation/regulatory updates.

Previous issue: Version 1.0000, 13-JUN-1997

### Key/Legend

ACGIH = American Conference of Governmental Industrial Hygienists; CAS = Chemical Abstracts Service; CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act; CFR = Code of Federal Regulations; CPR = Controlled Products Regulations; DOT = Department of Transportation; DSL = Domestic Substances List; EINECS = European Inventory of Existing Commercial Chemical Substances; EPA = Environmental Protection Agency; IARC = International Agency for Research on Cancer; IATA = International Air Transport Association; mg/Kg = milligrams per Kilogram; mg/L = milligrams per Liter; mg/m3 = milligrams per Cubic Meter; MSHA = Mine Safety and Health Administration; NA = Not Applicable or Not Available; NIOSH = National Institute for Occupational Safety and Health; NJTSR = New Jersey Trade Secret Registry; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; SARA = Superfund Amendments and Reauthorization Act; TDG = Transport Dangerous Goods; TSCA = Toxic Substances Control Act; WHMIS = Workplace Hazardous Materials Information System.

This is the end of MSDS # C-021

